



IGNITE XL™

Linear Electric Fireplaces

Dimplex®

Designed to
ignite your
passion.

A fireplace instantly
changes the look and
feel of a room, and
there is no better way to
make that transformation
than with the IgniteXL
Linear Electric Fireplace
from Dimplex.

IgniteXL™ stands apart as more
lifelike and visually stunning than any
other electric fireplace. With new,
patented flame technology, IgniteXL
captures the charm and ambiance
of a real fire.

Edge-to-edge glass offers a flawless
panoramic view of the dazzling
flames from any angle. At only 5.5
inches deep, and with no chimney
or gas line required, IgniteXL is ideal
for home or high rise installations.


IGNITE XL™




XLF50

1,500 Watts | 5,118 BTU

2,500 Watts | 8,530 BTU

50¹/₄" x 15⁵/₈" x 5⁷/₈" (WxHxD)

127.7 cm x 39.8 cm x 14.8 cm



XLF100

1,500 Watts | 5,118 BTU

2,500 Watts | 8,530 BTU

100¹/₄" x 15⁵/₈" x 5⁷/₈" (WxHxD)

254.7 cm x 39.8 cm x 14.8 cm

XLF74

1,500 Watts | 5,118 BTU

2,500 Watts | 8,530 BTU

74¹/₄" x 15⁵/₈" x 5⁷/₈" (WxHxD)

188.7 cm x 39.8 cm x 14.8 cm

Features



Multi-FireXD™ Flame Effect

A true alternative to gas, the patented Multi-Fire XD™ flame effect accurately reproduces a natural flame.



Edge-to-Edge Glass

Clean-face design offers flawless panoramic views.



Comfort\$aver™ Heating System

The patented Comfort\$aver™ ceramic heating system warms up to 1,000 sq. ft. and uses less energy than the leading quartz infrared heater by automatically adjusting fan speed and heater wattage to safely and precisely match the requirements of the room.



Media Bed

Diamond-like acrylic ice ember bed chunks sparkle with reflected light.



Color Themes

Choose from brilliant color themes or cycle through a range of colors using the custom mode, freezing on the hue of your choice.



Built-in Touch Controls

Backlit controls are hidden when not in use.



Multi-function Remote

Control 100% of the fireplace features from the comfort of your chair.



Seamless Installation

Low-profile design fully recesses in 2"x6" wall construction. Hardwire using 120V or 240V for powerful heating.



Eco Mode

Automatically reduces heat output with this energy saving setting.



Heat Boost

Delivers timed maximum heat output.



Safe

Front glass stays cool to the touch.



Driftwood and River Rock
Accessory Packages



LF50DWS-KIT

Includes loose river rock and one large and one small piece of driftwood.

LF74DWS-KIT

Includes loose river rock and one small and two large pieces of driftwood.

LF100DWS-KIT

Includes loose river rock and two large and two small pieces of driftwood.

Your authorized Dimplex dealer:

For more information and product specifications, please visit dimplex.com



Dimplex North America Limited
1367 Industrial Road | Cambridge | ON N3H 4W3
Telephone: 1-888-DIMPLEX | Fax: 1-800-668-6665

Visit us online at: www.dimplex.com



Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Protected by one or more of the following patents:
U.S. Patents: 5,642,580, 7,457,533. Canadian Patent: 2,175,442, 2,590,028. Other patents pending. © 2016 Dimplex North America Limited.



Printed in Canada LI-1001 09/15